

Lisburn GP Federation

This factsheet presents information on cancer incidence and prevalence in the Lisburn GP Federation to provide those working with cancer some idea of the number of people diagnosed each year, the ages of these people, the type of cancer they have had and how many people are living with and beyond a cancer diagnosis between 1993-2015. It forms part of a larger report produced as part of the Macmillan-NICR partnership to describe the cancer profiles of the 17 GP Federations in Northern Ireland (NI). The full report can be accessed at <http://www.qub.ac.uk/research-centres/nicr/>. The data are reported based on GP federation of care rather than GP federation of residence i.e. people registered at GP practices in the Lisburn GP Federation area and not based on their home address. Also were data are presented for 'All cancers' this excludes non-melanoma skin cancer.


Table 1. Summary statistics for all cancers (excluding non-melanoma skin cancer) in Lisburn GP Federation area

	Males	Females	Both Sexes
Average cases diagnosed per year (2011-2015)	196.6	201.4	398.0
10 year prevalence	862	1,053	1,915
23 year prevalence	1,190	1,623	2,813

Incidence

- There were on average 398 cases of all cancers excluding non-melanoma skin cancer (NMSC; C00-C97 ex.C44) diagnosed each year between 2011 and 2015.

Figure 1. Average number of cases of specific cancers diagnosed each year between 2011-2015 in people registered in Lisburn GP Federation area



- In 2011-2015 there were on average 67 cases of invasive breast cancer, 42 cases of prostate cancer, 50 cases of colorectal cancer, 47 cases of lung cancer and 153 cases of non-melanoma skin cancer diagnosed each year.

Figure 2. Proportion (%) of cases diagnosed between 2011 and 2015 by specific cancer site and stage at diagnosis in Lisburn GP Federation area






Figure 3. Proportion (%) of cases diagnosed between 2011 and 2015 by specific cancer site and age at diagnosis in Lisburn GP Federation area



Prevalence

Figure 4. 23-year prevalence of all cancer (excluding NMSC) by sex and time from diagnosis in Lisburn GP Federation area



The 23-year prevalence represents all people diagnosed with cancer during 1993-2015 who are still alive at the end of 2015. Other prevalence measures commonly used, which depend on the diagnosis period considered, include:

- One year prevalence (people diagnosed in 2015) which at the end of 2015 was 283 (132 males and 151 females).
- Five year prevalence (people diagnosed 2011-2015) which at the end of 2015 was 1,162 (505 males and 657 females).
- Ten year prevalence (people diagnosed 2006-2015) which at the end of 2015 was 1,915 (862 males and 1,053 females).
- Twenty-three year prevalence (people diagnosed 1993-2015) which at the end of 2015 was 2,813 (1,190 males and 1,623 females).

Figure 5. 23 year prevalence (based on time since diagnosis) for all cancers (excluding NMSC) by sex in Lisburn GP Federation






Figure 6. 23-year prevalence (number of people) for all cancers (excluding NMSC) by sex and cancer site in Lisburn GP Federation



At 31st December 2015, of those people living up to 23 years after a cancer diagnosis (excluding non-melanoma skin cancer) in the Lisburn GP Federation:

- Over half (58.2%) of people had been diagnosed with breast, prostate, colorectal or lung cancer.
- 1,623 were female and of these over 4 in 10 females (46.2%) had, had a diagnosis of invasive breast cancer (ICD10 C50).
- 1,190 were male and of these 4 in 10 males (33.1%) had, had a diagnosis of prostate cancer (ICD10 C61).


Figure 7. 23-year prevalence for all cancers (excluding NMSC) by cancer site and time since diagnosis in Lisburn GP Federation area



At 31st December 2015, of those people living up to 23 years after a cancer diagnosis (excluding non-melanoma skin cancer) in the Lisburn GP Federation:

- Over half of people diagnosed lymphoma (62.4%), female breast cancer (60.8%) and melanoma (60.5%) were diagnosed more than five years previously.
- Two thirds (66.6%) of people diagnosed with lung cancer were diagnosed within the last five years.

Figure 8. 23- year prevalence of all cancers (excluding NMSC) by age at end 2015 in Lisburn GP Federation area



- 8 out of 10 (80.5%) people diagnosed between 1993-2015 and alive at end of 2015 were aged 55 years or over at 31st December 2015 with a quarter (24.5%) of people aged between 75 and 85 years.

Acknowledgements

This work has been undertaken by the N.Ireland Cancer Registry as part of the Macmillan-NICR Partnership funded by Macmillan Cancer Support. The N.Ireland Cancer Registry is funded by the Public Health Agency and is hosted by Queen's University, Belfast. This work uses data provided by patients and collected by the health service as part of their care and support. Further data is available from the Northern Ireland Cancer Registry web site: www.qub.ac.uk/nicr.

Phone: +44 (0)28 9097 6028 e-mail: nicr@qub.ac.uk

